

# Honeywell First Responder Products



## Personal Protective Equipment

**Honeywell**



# Morning Pride® Gear

## Structural and Proximity



+ The one and only genuine Morning Pride® TAILS™ System, recognized and established over the years for its proven protection and reliability.

+ The Morning Pride® coat is designed with Kinetic Kut™ patterning, true three-piece tailoring in all three layers of the garment, and built-in underarm bellows with Forward Flex™ sleeves that dramatically reduce sleeve retraction.

+ Engineered to work together with the Morning Pride® pants as part of the TAILS™ System, the Morning Pride® coat innovatively eliminates unnecessary weight, reduces physical stress, eliminates bunching at the waist, and prevents undesirable sleeve retraction.

# Extraordinary Classic Design



Certification  
NFPA 1971

### Features and Benefits

#### Available Coat and Pant Closure Systems

- Hooks and D-rings outside flap, with hook and loop coat closure (standard)
- Hook and D-ring with hook and loop pant closure (standard)
- FDNY coat closure (optional)
- Zipper plus hook and loop (optional)
- Hooks and D-rings inside flap plus hook and loop coat closure (optional Chicago coat closure)
- Hooks and D-rings with hook and loop and zipper coat closure (optional)

#### Standard Coat Features

- Kinetic Kut™ Styling** – Significantly reduces hem rise and sleeve retraction, allowing for greater range of motion and protection (patented)
- TAILS™ System** – Reduces weight, increases range of motion, and eliminates bunching when bending forward
- Forward Flex™ Sleeve** – Patented design eliminates undesirable sleeve retraction when reaching up or forward
- Articulating Drag Rescue Device** – Adjusts to maintain equal leverage on a downed firefighter even when pulling from an angle (patented)
- Comfortable Chinstraps** – Curved design for better fit and less irritation
- Single-seam Sleeves** – Innovative design eliminates second seam, reducing wear point
- Waterproof Wristlets** – Patented double-layer Nomex® wristlets with continuous moisture barrier seal out liquids at the wrist
- Hybrid Long Tabbed Wristlets** – Durable and comfortable thumb locator option doesn't interfere with glove donning
- Inspection Ports** – Patented feature allows for easier inspection of thermal liner and moisture barrier
- Continuous Protection** – Outer shell, moisture barrier, and thermal barrier overlap at coat facings, collar linings, and pant fly to give uninterrupted protection
- Seam Guards** – Placed over trim threads at high-abrasion areas to reduce wear (patented)
- Three-piece Coat Pattern Throughout All Layers** – Allows greater reach, flexibility, mobility, and protection while also dramatically improving the garment's durability
- Postman Take-up Straps** – Provide a better and tailored fit

#### Standard Pant Features

- Full Range of Motion Crotch** – Patented U-shape design and diamond-shaped insert allow greater leg mobility
- Low-waist Comfort Pant** – Increases mobility at waist, reduces weight, and allows for more ventilation so it feels like a pair of jeans, wears like a pair of jeans
- Seam Guards** – Placed over trim threads at high-abrasion areas to reduce wear (patented)

#### Popular Coat Options

- Dead Air Thermal Enhancement
- Panels Reinforcements
- Half-height Bellows Pockets – 6" x 9" x 1.5"
- Leather or Ara-shield® Cuffs, Shoulder Caps and Elbows
- Lettering on Back Patch
- Radio Pocket – 8" x 3" x 2"
- Microphone Tab
- Long Tabbed Nomex® Wristlets
- Choice of Required Trim Packages

#### Popular Pant Options

- Knee Protection
- Postman Take-up Straps
- Leather or Ara-shield® Knees
- Bellows Pockets – 9" x 9" x 1.5"
- Heavy-duty Red or Dyna-Fit Suspenders
- Choice of Required Trim Packages

Honeywell



# ULTRAMOTION® Gear

## Structural and Proximity

+ Inspired by extreme sports such as skiing and snowboarding, ULTRAMOTION® turnout gear delivers the same performance advantages sought by elite winter athletes to firefighters in their daily jobs: comfort, fit, thermal protection and mobility.

+ Ergonomically engineered to reduce fabric bulk while maximizing mobility, ULTRAMOTION® Gear offers a full range of motion to all areas of the body. The result – cutting-edge athletic gear that shapes to your body and moves with you.

## Maximized Mobility

### Features and Benefits

#### Available Coat and Pant Closure Systems

- All paired with hook and loop
- Zipper under flap
- Hooks and dees outside flap
- Hooks and dees inside flap closure (optional)

#### Standard Coat Features

**Unique Ergonomic Shoulder and Underarm Design** – Increases venting, eliminates the gusset for less bunching under the arm, increases comfort, and minimizes coat rise

**Integrated Collar and Storm Flap T-Closer™** – Eliminates the gap found in so many other throat strap and collar designs (patented)

**Bar-tack Reinforced Stress Points** – For enhanced durability

**SteamGard™ Wrist Trim** – Helps reduce the risk of compression burns

**Sidewinder™ Coat Pockets (graded size)** – Many other pocket types available as options, all sewn below the waist to avoid overlap with SCBA straps (patent pending)

**5-panel Coat Design** – Means athletic cut with no excess fabric

**Radio Pocket**

**Nomex® Webbing Microphone Loop**

#### Standard Pant Features

**Ergonomic Leg** – Two front panels divided at the knee. The lower front panel is convex at the knee for better mobility and fit in all positions.

**Side Adjustment Pull-tabs** in tough and durable Nomex® webbing. Waist adjustment of 4" to 6" provides a better, tailored fit.

**Lo-rise Front, Hi-rise Back Pant** – Maximizes mobility and flexibility

**Neoprene-lined, Anti-wicking Pant Bottoms** – Protect against water wicking up

#### Popular Coat Options

Wristlets with Thumbholes

Leather or Hypalon Cuffs and Elbows

Shoulder and Elbow Pads

Kevlar® Reinforced Pockets

Glove Holder Webbing

Lettering on Back Patch

Choice of Required Trim Packages

#### Popular Pant Options

Full-bellows Pockets – 10" x 10"

Oversize Knee Reinforcements

Kevlar® Reinforced Pockets

Choice of Knee and Cuff

Reinforcements

Leather or Hypalon Cuffs and Knee

Patches

Knee Pads

Semi-bellows Pockets – 9" x 9"

S14 Buckle Suspender System

Waterwells

Choice of Required Trim Packages

**Certification**  
NFPA 1971

**Honeywell**



# Ranger™ Gear

## Structural and Proximity

**+ The Challenge**  
Design a set of gear that is amazingly light yet highly protective, at a price every department can afford, without sacrificing quality.

**+ Our Solution – Ranger™ Gear**  
Tough, rugged, made to fit each unique firefighter, Ranger™ Gear protects through the roughest of calls. Offering you a wide variety of options so you can custom design your gear to serve your specific needs, Ranger™ Gear is comfortable and light, making it the optimal choice for budget-conscious fire departments who do not want to compromise on quality and choice.

# Priced Light, Made Light



Certification  
NFPA 1971



### Features and Benefits

- Coat and Pant Closure Systems**
- Storm shield with zipper hook and loop closure
  - Narrow pant fly with hook and dee closure

- Standard Coat Features**
- Variegated Length Hem (TAILS™)** – Increased range of motion in upper legs, improved torso ventilation, better visibility from behind
  - Raglan Sleeve with Forward Flex Attribute** – Higher comfort, better mobility in the arm
  - Nesting of All Three Garment Layers** – Three layers work as a system to maximize ergonomic function of the gear
  - Hook and Loop Double Stitched on Coat Closure, Chinstrap, and Collar** – Longer durability
  - Seam Guard on Trim at Cuff** – Better abrasion resistance of threads in high-abrasion areas for longer durability (patented)
  - Articulating Drag Rescue Device** – Comfortable in everyday wear, able to deploy in multiple directions with little discomfort to the wearer, rolled edges reduce abrasion against moisture barrier (patented)
  - Leather Cuff Reinforcements** – Longer durability in high-abrasion areas
  - Shoulder and Elbow Thermal Enhancements** – Increased thermal protection in compression areas
  - Continuous Waterproof Wristlet** – Minimizes seepage at the wrist

- Standard Pant Features**
- Traditional Waist-high Pant** – Increased mobility at the waist, full torso ventilation
  - Full Access Pant Fly** – Easier for donning and doffing, stores over boots more easily
  - Leather Cuff Reinforcements** – Longer durability in high-abrasion areas
  - Seam Guard on Trim at Cuff** – Better resistance of threads in high-abrasion areas for longer durability (patented)
  - Postman Take-up Straps** – Provide a better and tailored fit

- Popular Coat Options**
- 35" Ranger Model
  - Leather or Ara-shield® Cuffs, Shoulder Caps and Elbows
  - Lettering on Back Patch
  - Half-height Bellows Pockets – 6" x 9" x 1.5"
  - Radio Pocket – 8" x 3" x 2"
  - Microphone Tab
  - Long Tabbed Nomex® Wristlets
  - Choice of Required Trim Packages

- Popular Pant Options**
- Leather or Ara-shield® Knees
  - Bellows Pockets – 9" x 9" x 1.5"
  - Heavy-duty Red or Dyna-Fit Suspenders
  - Choice of Required Trim Packages



# Vectra SL™ Structural Gear



Certification  
NFPA 1971

## Comfort in Action

Vectra SL™ synergizes advanced design with conventional styling for firefighters who have an affinity for the traditional look. Vectra SL™ is engineered with ample displacement for all-around comfort, mobility, and performance.

Compatible with all body types, Vectra SL™ offers ample displacement – key to improved bending of torso, arms, and legs.

### Features and Benefits

- Coat Closure System**  
All paired with hook and loop
- Zipper under flap
  - Hooks and dees inside flap

- Pant Closure System**
- Hook and dee outside flap

- Standard Coat Features**
- Full-cut Body Design** – For ample movement
  - Action-back Pleats, Ergonomic Two-piece Arm, Underarm Gussets in All Three Layers** – Provide comfort and mobility
  - Stand-up Collar and Linkable Throat Tab** – For quick collar closure
  - Uninterrupted Zip-in Liner System** – For gapless protection
  - Offset Seams Between Each Layer** – Reduce abrasion
  - Steam-blocker Elbows and Shoulders** – Maximize heat protection in critical areas
  - Choice of Cuff Reinforcements** – Matching your specification needs
  - Radio Pocket**
  - Nomex® Webbing Microphone Loop**

- Standard Pant Features**
- Oversize Knee Reinforcements** – For increased protection
  - Steam-blocker Knees** – Maximize heat protection in critical areas
  - Full-bellows Pant Pocket** – 10" x 10" for maximum capacity
  - Side Adjustment Pull-tabs** in tough and durable Nomex® webbing
  - Waist adjustment of 4" to 6" provides a better, tailored fit
  - Choice of Knee Reinforcements** – Matching your specification needs

- Popular Coat Options**
- Full-bellows Coat Pockets – 9" x 9"
  - Leather or Hypalon Cuffs and Elbows
  - Shoulder and Elbow Pads
  - Radio Pocket
  - Microphone Loop
  - Lettering on Back Patch
  - Department Patches
  - Choice of Required Trim Packages

- Popular Pant Options**
- Leather or Hypalon Cuffs and Knee Patches
  - Knee Pads
  - Insulated Back Bib
  - S16 Removable Suspenders
  - Choice of Required Trim Packages

Honeywell

# VE Gear™ Structural



Certification  
NFPA 1971

## Optimal Value in Action

VE Gear™ was developed to deliver value-engineered turnout gear fully certified to NFPA standards, at a price that meets the needs of more budget-restrained departments. It offers two closure styles, both fully equipped with the necessary options to ensure safe and functional performance.

With VE Gear™, you know you are getting tough, reliable gear that will not compromise protection.

### Features and Benefits

- Available Coat Closure Systems**  
All paired with hook and loop
- 32" Coat – zipper under flap
  - 34" Coat – hooks and dees outside flap

- Pant Closure System**
- Hook and dee outside flap paired with military-grade snaps

- Standard Coat Features**
- Leather or Hypalon Shoulder Patches** – Added protection in key compression areas
  - Clean-flow Collar Design** – No bulky flaps
  - Free-up Sleeve Construction** – No bulky gussets
  - Neoprene Elbow Patch Sewn on Liner** – Added thermal protection in compression areas
  - Angled Patch Pockets** – Easy access
  - Sleeve / Liner Wrist Attachment with Four Snap Fasteners** – Eliminates sleeve retraction
  - Neoprene Waterwell** – Improved water resistance and durability
  - Leather or Hypalon Wrist Cuffs** – Improved durability
  - Radio Pocket**
  - Nomex® Webbing Microphone Loop**
  - 2" Solid 3M™ Scotchlite™ Reflective Trim**
  - Snap-in Liner** – For easy cleaning

- Standard Pant Features**
- Semi-bellows Pockets** – Easy access
  - Leather or Hypalon Knee Patch** – Improved durability and comfort
  - Ara-Fill® Knee Patch Sewn on Liner** – For added protection in key compression areas
  - Leather or Hypalon Pant Cuffs** – Improved durability
  - Side Adjustment Pull-tabs** in tough and durable Nomex® webbing.
  - Waist adjustment of 4" to 6" provides a better, tailored fit
  - 2" Solid 3M™ Scotchlite™ Reflective Trim**

- Popular Coat Options**
- Back Patch with Department Name
  - Choice of Required Trim Packages

- Popular Pant Options**
- S13 Removable 8-point Button Suspender System
  - Choice of Required Trim Packages

Honeywell



# Rugged Structural and Proximity Helmets

■ EXTREMELY STRONG ■ INNOVATIVE ■ CUSTOM COMFORT FIT

## Morning Pride® Ben 2 LR Low Rider Helmets Traditional

### Features

- Strongest shell on the market
- Rugged and dependable
- Lightweight
- High heat performance
- Protected suspension straps
- More sizes, most adjustability
- Low riding, good fitting, low center of gravity
- Six-point suspension and wider interior give wearers superior comfort and fit
- Headband/ratchet fits a wide range of hat sizes – from under size 6 to over size 9
- Six-position depth adjustments provide more than an inch and a half depth difference at the front and at the rear, make it possible to fit any head with just a few quick and easy adjustments
- Comfortable and easy to replace suspension
- Two-piece padded-brow comfort cap and ratchet
- Nomex® quick-release chinstrap with postman slide
- Large hang-up loop
- Shell colors: black, white, red, yellow, orange, blue, green



### Models

HT-BFL-BPR – Low Rider  
HT-BFL-HDO – Low Rider  
HT-BF2-BPR – Plus  
HT-BF2-HDO – Plus



### Models

HT-BFL-PROX – Low Rider  
HT-BF2-PROX – Plus

### Plus Models

All the same features of the LR Low Rider models except the Plus models feature a eight-point suspension and the six-position suspension provides a full inch of adjustment for a quick and easy custom fit. The Plus models also feature a comfortable headband/ratchet cover.

### Proximity Models

- 6" x .130" goldcoat faceshield
- Aluminized helmet cover and shroud

### Certification

- NFPA 1971

## Morning Pride® Lite Force LR Low Rider Helmets Modern

### Features

- Strongest shell on the market
- Rugged and dependable
- Lightweight
- High heat performance
- Protected suspension straps
- More sizes, most adjustability
- Low riding, good fitting, low center of gravity
- Six-point suspension and wider interior give wearers superior comfort and fit
- Headband/ratchet fits a wide range of hat sizes – from under size 6 to over size 9
- Six-position depth adjustments provide more than an inch and a half depth difference at the front and at the rear, make it possible to fit any head with just a few quick and easy adjustments
- Comfortable and easy to replace suspension
- Two-piece padded-brow comfort cap and ratchet
- Nomex® quick-release chinstrap with postman slide
- Large hang-up loop
- Shell colors: black, white, red, yellow, orange, blue, green



### Models

HT-LFL-BPR – Low Rider  
HT-LFL-HDO – Low Rider  
HT-LF2-BPR – Plus  
HT-LF2-HDO – Plus



### Models

HT-LFL-PROX – Low Rider  
HT-LF2-PROX – Plus

### Plus Models

All the same features of the LR Low Rider models except the Plus models feature a eight-point suspension and the six-position suspension provides a full inch of adjustment for a quick and easy custom fit. The Plus models also feature a comfortable headband/ratchet cover.

### Proximity Models

- 6" x .130" goldcoat faceshield
- Aluminized helmet cover and shroud

### Certification

- NFPA 1971

ADDITIONAL MODELS AVAILABLE

**Honeywell**

# Protective Gloves and Hoods

■ COMFORT ■ DURABILITY ■ SELECTION

## Honeywell Glove Kangaroo/Elk Fire Mate™

### Features

- Kangaroo palm, elk back outer shell
- Crosstech® moisture barrier and Kevlar®/Nomex® liner
- 2D pattern
- Wing thumb
- Two-ply Nomex® spandex wristlet with leather pull tab
- Special Sizes: XXS, XS, S, M, L, XL, XXL, XXXL



### Certifications

- NFPA 1971 and NFPA 1951

### Model

GL-9500 – Wristlet

## Honeywell Glove Aluminized/Elk Proximity

### Features

- Elk palm, aluminized Pbi/Twaron ripstop outer shell
- Crosstech® moisture barrier and self-extinguishing fleece liner
- 3D pattern
- Wing thumb
- Two-ply Nomex® spandex wristlet with leather pull tab
- Regular Sizes: XXS, XS, S, M, L, XL, XXL



### Certification

- NFPA 1971

### Model

GL-BPR-RWA – Wristlet

## Honeywell Glove Thermo Cowhide

### Features

- Thermo cowhide outer shell
- Polyurethane moisture barrier
- Self-extinguishing fleece liner
- 2D pattern, wing thumb
- Two-ply Nomex® spandex wristlet with leather pull tab
- Regular Sizes: XXS, XS, S, M, L, XL, XXL, XXXL
- Cadet Sizes: S, M, L, XL



### Certification

- NFPA 1971

### Model

GL-7500 – Wristlet

ADDITIONAL MODELS AVAILABLE

**Honeywell**

## Honeywell Hood Nomex®

### Features

- Face and chest
- Natural fit face opening
- Comfort top
- Flatlock seaming
- Notched shoulders

### Certification

NFPA 1971



Model HD-300-0800

Nomex® – White

## Honeywell MaskMate™ Hoods

- Full drape with square bib
- Comfort top
- Adaptive design face opening

### Certification

NFPA 1971



Modelo HD-300-22557MM

Pbi™ Blend – Tan

TRADITIONAL  
FACE OPENING DESIGN



MASKMATE™  
ADAPTIVE FACE OPENING  
DESIGN



ADDITIONAL MODELS  
AVAILABLE



Model HD-300-22227MM

Nomex®/Lenzing – white



Model HD-300-22007

Nomex® – white



# Honeywell Leather Footwear



+ The PRO Series Model 3009 – when comfort meets superior performance.

Firefighters around the world have experienced the advantages of this lightweight and great-fitting professional leather fire boot for the past 20 years.

+ The PRO Series 3006 is anatomically contoured to hug your lower leg and foot through the use of specially designed side panels.

The most comfortable and versatile 10" fire boot on the market.

+ The PRO Series Model 3050 was built with the wildland firefighter in mind. This 8" boot is equipped with a Cambrelle® liner that fights mold and mildew.

In addition, this popular boot features a Goodyear welt, a Vibram® Olympia outdoor lug sole, and a 1.5" padded collar that provides a snug fit and helps keep grit, splinters, and insects out.

## PRO Series Leather Firefighting Boots



**Model**  
3009

### Features

- 14" pull-on structural boot
- Goodyear welt construction
- Vibram® lug soles
- Premium full-grain military AB leather
- Full Crosstech® moisture barrier bootie with 7.5 oz 100% virgin Kevlar® felt thermal barrier and Cambrelle® fabric liner
- Silicone-impregnated leather toe cap
- Oblique steel toe, bottom plate, and shank
- Thermoplastic heel counter
- APT barcoded – departmental NFPA 1851 tracking
- Widths: D, E, EEE  
Full sizes: 5 to 16  
Half sizes: 5½ to 12½

### Certification

- NFPA 1971



CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.




**Model**  
3006

### Features

- 10" speed-zip structural boot
- Goodyear welt construction
- Reflective wrap-around welt
- Vibram® lug sole
- FR rubber PowerToe™
- Premium full-grain military AB leather
- Defender® Nomex® quarter panels
- Full Crosstech® moisture barrier bootie with 7.5 oz 100% virgin Kevlar® felt thermal barrier and Cambrelle® fabric liner
- Steel toe, bottom plate, and ladder shank
- Thermoplastic heel counter
- APT barcoded – departmental NFPA 1851 tracking
- Widths: D, EE, EEE  
Full sizes: 5 to 16  
Half sizes: 5½ to 12½

### Certifications

- NFPA 1971, NFPA 1999 and NFPA 1977 (optional)



**Model**  
3050

### Features

- 8" lace-up wildland boot
- Goodyear welt construction
- Vibram® Olympia outdoor lug sole
- Premium full-grain water resistant leather
- Cambrelle® fabric boot liner
- 1.5" padded collar with pull tab for easy donning
- Speed-loop lace system
- Removable cushioned insert
- Triple-ridge fiberglass ladder shank
- Thermoplastic heel counter
- APT barcoded – departmental NFPA 1851 tracking
- Widths: Narrow, Medium, Wide  
Full sizes: 5 to 16  
Half sizes: 5½ to 12½

### Certification

- NFPA 1977

## Extras

### Suspenders



**Model**  
SP-REG

- Heavy-duty red elastic with metal hooks
- Metal adjuster stays

ADDITIONAL MODELS AVAILABLE

**Honeywell**



# Honeywell Rubber Footwear



+ Certified to NFPA 1971 and NFPA 1992 for structural and liquid-splash protection, these lightweight rubber boots are engineered for maximized protection, comfort, and durability, protecting you against punctures, moisture, and electrical shocks.

+ Constructed of natural rubber or a combination of natural and butyl rubber, Honeywell rubber footwear offers the most complete protection available in every hazardous environment. Roomy steel toe, bottom plate, and shank protect against impact/compression and puncture.

+ Offered in both insulated and non-insulated models with a choice of Kevlar®/Nomex® or wool felt lining to fit every fire department budget. All models are built on the same last with the same molded sole for consistent sizing throughout the entire line.



## Ranger™ Series Rubber Firefighting Boots



**Model**  
1000 Ranger™ Air

Premium, top of the line model, offers complete protection and lightweight comfort. Only rubber boot on the market utilizing athletic spacer mesh material laminated to buoyant, waterproof neoprene. A combination of natural rubber and butyl rubber ensures complete chemical protection to certified standards.

**Certification**

- NFPA 1971
- NFPA 1992
- Protocol TOP-8-2-501\*



**Models**  
1500 & 2500

Insulated (Model 1500) and non-insulated (Model 2500) lightweight models feature Kevlar®/Nomex® lining and are equipped with a shinguard for additional ladder-rung shin protection. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection.

**Certification**

- NFPA 1971
- NFPA 1992
- Protocol TOP-8-2-501\*



**Model**  
1600

Insulated lightweight boot with wool felt lining. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection.

**Certification**

- NFPA 1971
- NFPA 1992



**Model**  
2600

Non-insulated model featuring wool felt lining. Roomy steel toe for extra comfort and impact/compression protection, and steel bottom plates and shanks offer unmatched puncture protection.

**Certification**

- NFPA 1971
- NFPA 1992

**Honeywell**



**Model**  
2700

30-inch insulated hip boot with wool felt lining.

**Certification**

This boot is not certified to any NFPA Standard.

Model	1000	1500	1600	2500	2600	2700
Height	13"	16"	16"	16"	16"	30"
Weight in lbs (approx.)	6.3	7	7.1	6.6	6.7	9.7
Shoe-Fit™	Yes	Yes	Yes	Yes	Yes	Yes
Insulated	Yes	Yes	Yes	No	No	Yes
Lining	Spacer Mesh	Kevlar®/Nomex®	Wool Felt	Kevlar®/Nomex®	Wool Felt	Wool Felt
Shinguard	No	Yes	No	Yes	No	No
Steel Toe, Plate, Shank	Yes	Yes	Yes	Yes	Yes	Yes
Molded Sole	Yes	Yes	Yes	Yes	Yes	Yes
Removable Insert	Yes	Yes	Yes	Yes	Yes	Yes
NFPA 1971	Yes	Yes	Yes	Yes	Yes	No
NFPA 1992	Yes	Yes	Yes	Yes	Yes	No
Mustard HD*	Yes	Yes	No	No	No	No
APT Barcoded	Yes	Yes	Yes	Yes	Yes	No
Made in North America	Yes	Yes	Yes	Yes	Yes	Yes

Widths: Narrow, Medium, Wide      Full Sizes: 3 to 16      Half Sizes: 5½ to 15½  
Model 2700 wide widths only Full Sizes: 3 to 16

\* Chemical warfare agent protection against Mustard HD agent. Protocol TOP-8-2-501 "Penetration and permeation testing of air-permeable and impermeable materials with chemical agents or simulants." Swatch test only. Models 1000 and 1500 only.



**Honeywell Life Safety**

Honeywell First Responder Products

#1 Innovation Court

Dayton, Ohio 45414

Tel: 800-688-6148

[www.HoneywellFirstResponder.com](http://www.HoneywellFirstResponder.com)

April 2013

© 2013 Honeywell International Inc.

**Honeywell**